



WELCOME



INTRODUCTION

Who We Are and Credentials

Primary and Secondary Coverage Areas

Industrial

Contractor Support

Equipment

Complementary Services

Why Choose Us

Closing





WHO WE ARE & CREDENTIALS



30+ Years of Experience in the crane, rigging and millwright industry.

Family owned and operated headquartered in Fulton, NY.


10+ Years of Crane Operator Experience – NCCCO large lattice, NCCCO large hydraulic and NY unrestricted crane operators.

OSHA Safety and I.U.O.E. Rigger and Signal Certified.

Large and Small Project Management.


SERVICE AREA- PRIMARY COVERAGE HIGHLIGHTED

*WE COVER ALL OF NY STATE EXCEPT LOWER
HUDSON VALLEY AND LONG ISLAND REGION*



INDUSTRIAL

- MACHINE TOOL MOVING
- LINE INSTALLATION & RELOCATION
- MATERIAL HANDLING ERECTION (BRIDGE CRANES, JIB CRANES, ETC.)
- LARGE MACHINE HANDLING (INJECTION MOLDING, PRESS BRAKES, ETC.)
- TANK RIGGING
- PROCESS SUPPORT EQUIPMENT (FILTER PRESSES, CHILLERS, BOILERS, AIR COMPRESSORS)






CONTRACTOR SUPPORT

- MECHANICAL
- HEAVY HIGHWAY
- COMMUNICATIONS
- ELECTRICAL
- INFRASTRUCTURE





OWNED EQUIPMENT

Powered Equipment

- Cranes – 60-300 Tons
- Industrial Forklifts – 2.5-20 Tons
- Telehandler – 12,000 lbs.
- Tractors



Accessories

- Rigging capacities up to 100 tons.
- 4-ton to 90-ton spreader bars.
- Booms, ULD, spreader beams.
- Trailers- Landoll, lowboy, step decks, flatbed.
- Skates, jacks, dollies, chain falls, gantries.
- Runway steel and plate.



COMPLEMENTARY SERVICES

Lift Planning

PE Stamped Lift Plans

FAA Permits

Storage

Local Hauling

1/23/24, 4:07 PM

3D Lift Plan

Configuration
AC250: LK30
AC140: LK13

Crane
Terex AC 250-1
126.3' Main Boom at 70.1°
Base: 100% Outriggers: 28.5' x 27.9'
Counterweight: 213 kip
40' Lift Radius (360°)
Crane Capacity at 40' = 127,200 lbs

Load
Load Line 200 lbs
Block 2,000 lbs
Rigging 100 lbs
Total Rigging Weight 2,300 lbs
Load 110,000 lbs
Total Load 112,300 lbs
88% of capacity
Sling Tension: 58,389 lbs

Crane
Demag AC 140
84.3' Main Boom at 46.7°
Base: 100% Outriggers: 27' x 24.6'
Counterweight: 68.3 kip
52' Lift Radius (360°)
Crane Capacity at 52' = 43,900 lbs
There are no sling tensions to display.

Not issued for construction. For pre-planning only.

	Title	Lift Plan
	Project	Wolfsped
	Customer	HT Lyons
	Description	Messer Gas Units
Drawn By	Josh Trimble	1/23/2024

Created with 3D Lift Plan www.3dliftplan.com

WHY CHOOSE US



Low overhead (competitive price).



Equipment variety and application. Reduces labor to lower costs.



Safety record.



Say what we do and do what we say.



Responsive.



Ability to quickly adjust to changing conditions.



Knowledge base.



THANK YOU

- The Trimble Team
- 864 Hannibal Street, Fulton, NY 13069
- 315-963-2559
- www.TrimbleServices.com

